

ST110-UB130FF-IR

Supertek 2MP USB2.0 Camera Module




SPECIFICATION	
Sensor	1/2.7-Inch CMOS Image sensor
Effective Pixel	1920 H x 1080 V
Pixel Size	3um x 3um
Output Format	MJPEG,YUV2
FOV	D:95 Degree
Dynamic Range	80dB
Focus Type	FF
Shutter Type	Electronic Rolling shutter
Output and Power Supply	High Speed USB2.0
Interface	USB 2.0
LED	6PCS 14mil F5 infrared LED
Day Switch to night	IR CUT
Minimum illumination	0.1LUX
Cable Length	Default 2.0 Meter USB Cable
WORKING CONDITION	

For more information relating to cameras, please send us email via sales@supertekmodule.com, or visit our website www.supertekmodule.com


Power Supply	USB DC +5V Supply
Operating Temperature	-20°C ~ 60°C
Storage Temperature	-20°C ~ 85°C
Humidity	80 ~85%
Size	28*28*16mm

FORMAT	RESOLUTION	FRAME RATE
		USB2.0
MJPEG	1920x1080	15FPS
	1280x720	15FPS
	1024x768	15FPS
	800x600	30FPS
	640x480	30FPS
YUY2	1920x1080	5FPS
	1280x720	10FPS
	640x480	20FPS


PRODUCT DIMENSION



TOP View



Side View



Bottom View